

WAL-MART MONEY CENTER INSTALLATION/ PRODUCT MANUAL

PAGE # - CONTENTS:

- 2 - RECEIVING INSTRUCTIONS
- 3 - CARE AND MAINTENANCE
- 4 - WARRANTY/ TERMS AND CONDITIONS
- 5 - CABINET INSTALLATION INSTRUCTIONS
- 6 - INSTALLATION BUMPER KITS
- 7 - BUMPER KIT BLACK 2PC
- 8 - MC CKO MOD CAB FIN SERVICE - 4FT POS
- 9 - MC SERVICE COUNTER 96X28 – 8FT POS
- 10 - 3D RENDERING MONEY CENTER CUST SERVICE
- 11 - SERVICE COUNTER WITH WEDGE LH 8' CABINET
- 12 - SERVICE COUNTER WITH WEDGE RH 8' CABINET
- 13 - 8' CABINET WITH WEDGE EXAMPLE LAYOUT
- 14 - SINGLE MONITOR STAND INSTALLATION
- 15 - DIVIDER PANEL, END INSTALLATION
- 16 - DIVIDER PANEL, MIDDLE INSTALLATION
- 17 - DIVIDER PANEL DRAWINGS
- 18 - KNOCKOUT HOLE LOCATIONS
- 19 - DEBIT CARD HOLDER SCREW LOCATIONS

General Information:

Product Liability Information:

This manual should be read before install of any checkout lanes and or cabinets. It contains cautions and warnings to observe, installation/ layout drawings, and maintenance instructions. Failure to follow these instructions could cause personal injury, damage to the product, and could void warranty. Keep this manual with the units at all times for quick reference.

Specification Changes:

LA Darling's policy is to continuously look for improvements and update products as new technology, components, and materials become available. LA Darling, therefore, reserves the right to change certain specifications without prior notice.

The following basic tools (not included) are needed for installation:

- #2 Phillips head screwdriver or # 2 Robertson head bit with driver.
- Level (4ft or small torpedo)
- Electric or cordless drill *(for installing self tapping screws)*
- (Optional) Silicone – *(for securing units to the floor without using concrete anchors)*
- (Optional) Hammer Drill *(for securing units to the floor using concrete anchors)*



Visit www.ladarling.com/money-center/ or scan the QR code above for the latest assembly instructions.

Receiving Instructions:

*****WARNING*****

Never place or transport any cabinet on its side at any time. This may result in internal and/or external damage to the cabinet or its components.

1. **Delivery:** Most LA Darling units are shipped banded and stretch wrapped to a pallet and shipped via pre-paid carrier in van or LTL shipments. Some models require varying degrees of assembly dependent upon model shipped, means, and destination of shipment.
2. **Major Component sorting and counting:** LA Darling units consist of major components and optional accessories that are to be installed after delivery. Identify and count all components after they are unloaded. Check quantities received and quantities shown on the Bill of lading. Any discrepancies should be noted, photographed and notification should be made with LA Darlings customer service team.
3. **Component Identification:** All items are shipped with a label showing their individual LA Darling part number and this number should be used to identify the component on the Bill of lading.
4. **Bill of Lading:** Examine all components for damage during unloading. If any damage is found, immediately notify the carrier and LA Darling Customer Service team. Document with photographs all damage. A description and the extent of the damage must be noted and acknowledged on the bill of lading and a copy given to the truck driver.
5. **Damaged materials:** All damaged materials are to be retained at the store until disposition advisement has been received from LA Darling.
6. **Direct drop shipments:** On some occasions, some items may be shipped separately from a separate location. When received, the same guidelines should be used to check for damages and correct quantities as before.
7. Failure to report damages or discrepancies at the time of delivery constitutes that all items were received in full and acceptable condition.

No shipping claims will be honored after signing off on bill of lading that all items were received and in acceptable condition unless approved by LA Darling.

Care and maintenance:

To maintain overall appearance and proper operation of your cabinets, please follow the recommended cleaning procedures on the materials that pertain to the type of material cleaning listed below.

DO NOT EVER USE ANY CHEMICALS OTHER THAN NOTED BELOW OF ANY KIND TO CLEAN.
ALL CLEANING SHOULD BE DONE USING A SOFT CLOTH OR TOWEL WITH A NON-ABRASIVE MATERIAL.

Laminates/ Melamines/ Kydex surfaces

Clean as needed using a solution of mild dish washing liquid and water. Wipe completely dry with a soft non-abrasive cloth or towel. (Do not leave wet.)

Plexiglass/ Lexan

Clean as needed using a non-abrasive ammonia cleaner and rinse with clean water. Wipe dry with a soft non-abrasive cloth or towel.

Painted Surfaces

Clean as needed using a solution of mild dish washing liquid and water.

For paint scratches

Obtain from local paint supplier. Using paint and paint brush, touch up as needed and allow for drying time as specified from paint can.

Stainless Steel Surfaces

Clean with non-abrasive ammonia cleaner and clean water. Wipe completely dry with a soft non-abrasive cloth or towel. **WARNING:** High-strength cleaners and some harsh cloths will scratch and damage the protective coating on stainless steel and make it susceptible to corrosion.

Warranty/ Terms and conditions of sale:

This document, including these Terms and Conditions (this “Agreement”) supersedes all other agreements, oral or written, represents the final and complete understanding of the parties, and may be amended or cancelled only by written agreement signed by both parties. This agreement expressly limits acceptance to these terms; no other terms shall have any force or effect until acknowledged in writing by Seller. Any proposal for additional or different terms is hereby deemed material and is objected to and rejected. Unless otherwise stated herein, Buyer’s receipt of any portion of the Goods shall constitute acceptance of this Agreement unless Buyer immediately rejects and returns all such Goods.

1. Limited Warranty:

- a) Seller warrants that the Goods will conform to the descriptions and specifications incorporated herein, and will be free from defects in materials and workmanship under normal use and service for one year from the date of shipment. THESE ARE SELLER’S ONLY WARRANTIES. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES WHATSOEVER. ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED AND EXCLUDED.
- (b) If Buyer or any other person, without the prior written consent of Seller, repairs or modifies all or part of the Goods, or if the Goods are not installed or used in compliance with Seller’s directions, this warranty shall be void.
- (c) If Buyer notifies Seller in writing within the warranty period of a defect in materials or workmanship in any Goods, and if Seller determines that such Goods are not in accordance with the warranty, Seller will repair or replace, at its sole option, the defective goods provided Buyer returns such Goods to Seller’s plant freight prepaid. No Goods shall be returned without Seller’s prior approval. This shall be Buyer’s exclusive remedy for seller’s liability hereunder.
- (d) Seller’s liability to Buyer or anyone claiming through or on behalf of Buyer, with respect to any claim or loss arising out of this transaction or alleged to have resulted from an act or omission or Seller, whether negligent or otherwise, and whether in tort, contract or otherwise, including failure to deliver, delay in delivery, or breach of warranty, shall be limited to an amount equal to the purchase price of the Goods or part thereof with respect to which such liability is claimed or, where appropriate and at the option of Seller, to replacement of the Goods or part hereof. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, LOSSES, OR EXPENSES ARISING OUT OF THIS TRANSACTION.

2. Indemnification:

- (a) If any Goods are to be furnished to Buyer’s designs, Buyer agrees to defend, indemnify and save Seller harmless against all liabilities and expenses resulting from any claim that such Goods infringe upon any patents or other intellectual property rights held by third parties. Buyer also agrees to defend, indemnify and hold harmless against all claims and expenses arising out of the mishandling, abuse or misuse of the Goods and if installation of the Goods was not done by Seller’s agents, also against any claims and expenses arising out of such installation.
- (b) Excluding Goods manufactured to Buyer’s designs, Seller shall defend, at its expense, any suit or proceeding brought against Buyer claiming that the Goods infringe upon any patents or other intellectual property rights held by third parties, provided that Seller is promptly notified of such claim. If the Goods are deemed to infringe, Seller shall, at its expense and sole option, either procure for Buyer the right to continue using the Goods, replace them with non-infringing Goods, modify them so they become non-infringing, or remove them and refund the purchase price to Buyer.

3. Risk of Loss:

All risk of loss or damage to Goods shall pass to Buyer upon delivery to Buyer or its designated agent, or to a carrier for delivery to Buyer, whichever first occurs. Buyer shall be responsible for filing and prosecuting any claim for damage or loss in transit directly with the carrier.

4. Delivery and Delays:

All shipping and delivery dates are estimated and are based upon prompt receipt of all necessary information from Buyer. Seller shall not be liable for any delay in or failure of performance due to any contingency beyond Seller’s reasonable control, including (but not limited to) acts of God, civil commotion, labor disputes, explosions, fires, flooding, embargoes, delay of carriers, or government regulations or requirements whether valid or invalid. Orders changed by Buyer within (2) weeks of shipment date will be subject to charges.

5. Returns:


Non-standard fixtures manufactured to Buyer’s designs and specifications are not subject to return, cancellation, change reduction in quantity or suspension of deliveries. No returns are allowed unless approved in writing by Seller’s Return Goods Authorization. A re-packing and restocking charge of 20% of the invoice price will be assessed on all returned Goods, and only unused, undamaged merchandise in the original packaging will be authorized for return. Product returned that is store specific such as cabinets and kiosks with store specific locks and keys will be assessed a 40% restocking fee. Damaged products will be disposed of at L.A. Darling’s discretion.

**LAD Part #
35385300N099**

**BUMPER KIT SILVER –
(2EA) 2" X 24"**

**WMT SAP#
100644125**

ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	FINISH
1	2	5226572518	BASE 2" BLACK MCCUE 25 1/8"	N017
2	2	5226562318	BUMPER 2" SILVER MCCUE 23 1/8"	N017
3	4	52265801	END CAP 2" SILVER MCCUE	N017
4	1	53595801	HW KIT F/ BUMPERS	N006



ALL INSIDE RADII TO BE 1/32" ± 1/32"
UNLESS OTHERWISE SPECIFIED

THIS PRINT, INCLUDING ALL INFORMATION SET FORTH THEREON, IS THE PROPERTY OF DARLING STORE FIXTURES. IT IS LOANED IN CONFIDENCE SUBJECT TO RETURN IMMEDIATELY UPON REQUEST AND WITH THE UNDERSTANDING THAT NO COPIES OF THIS PRINT OR OF THE INFORMATION CONTAINED THEREON SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF DARLING STORE FIXTURES. ALL RIGHTS TO DESIGN AND INVENTION ARE RESERVED.									
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS: ± 1/32 DECIMALS: ± .005 ANGLES: 2°					CUSTOMER 9139		DRAWING NAME BUMPER KIT 24"		
00/00/00 1 EVW LJ EVW RELEASED FOR PRODUCTION 05/15/18					FINISH N099		SITE DWG NO. 35385300		
FPI DATE NO. BY CHK ENG REVISION DATE					CUST PART NO. 100636630		SHEET 1 OF 1		

LAD Part #
53587001C070

KIT END
DIVIDER PANEL

WMT SAP#
100658920


ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	FINISH
1	1	53519401	DMIDER F/ CASHWRAP END	PTC
2	1	53519402	HW KIT F/ END DIVIDER PANEL	N006/ N019

D

C

B

A



NOTE:
HARDWARE KIT 53519402N006 WITH ZINC SCREWS IS USED WITH 53587001C215.

HARDWARE KIT 53519402N019 WITH BLACK SCREWS IS USED WITH 53587001C072.

ALL INSIDE RADII TO BE 1/32^{+1/32}
UNLESS OTHERWISE SPECIFIED -0

THIS PRINT, INCLUDING ALL INFORMATION SET FORTH THEREON, IS THE PROPERTY OF DARLING STORE FIXTURES. IT IS LOANED IN CONFIDENCE SUBJECT TO RETURN IMMEDIATELY UPON REQUEST AND WITH THE UNDERSTANDING THAT NO COPIES OF THIS PRINT OR OF THE INFORMATION CONTAINED THEREON SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF DARLING STORE FIXTURES. ALL RIGHTS TO DESIGN AND INVENTION ARE RESERVED.

					UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS: 1/32 DECIMALS: XXX.XXX ANGLES: 1'		CUSTOMER P139 NEXT ASSEMBLY REFERENCE NUMBER			
					APPROXIMATE CUSTOMER SPECIFIC DIMENSIONS (IF APPLICABLE)		FINISH PTC			
00/00/00	01	RFC		RFC	RELEASE FOR PRODUCTION	01/18/17			REV. 01	
FP I DATE	NO.	BY	CHK	ENG	REVISION	DATE	CASH PART NO		CAB. KIT. 53587001_01	

8

7

6

5

4

3

2

1

D

C


B

A

LAD Part #
35415200C070

MC Service Counter
96x28 – 8FT POS

WMT SAP#
100667606



ALL INSIDE RADII TO BE 1/32" UNLESS OTHERWISE SPECIFIED


L.A. DARLING COMPANY

CUSTOMER 9139C
DRAWING NAME MC CAB 96X28 W/SS TOP
REV. 4
DATE 08/18/23
CUST PART NO 100667606
CAD FILE 35415200_04 SHEET 1 OF 2

LAD Part #
35415400C070

SERVICE COUNTER
W/ WEDGE
FILLER - LH

WMT SAP#
100673385



ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	FINISH
1	1	35351048	BASE CABINET ASSY - 48	PTC
2	3	53545001	ADJUSTABLE SHELF - 24	PTC
3	8	R344	RIVET .125RD .125 GRIP POP	N006
4	8	53423901	SNAP BUTTON 3/8"	N006
5	2	53408712	ACCESS PANEL 12"	PTC
6	1	53627501	TRAY, SHELF LOWER	PTC
7	1	GRM0026	2 BLACK ROUND GROMMET WIRE MGMT	N017
8	1	53788500	CHECK STAND	PTC
9	1	53629201	CABINET, 48 IN BASE ASSY LH	PTC
10	1	53628901	PLACARD, DO NOT OBSTRUCT	N000
11	2	5226572534	BASE 2" BLACK MCCUE 25 3/4"	N017
12	2	52265794716	BASE 2" BLACK MCCUE 94 7/16"	N017
13	4	52265801	END CAP 2" SILVER MCCUE	N017
14	2	52265692	BUMPER 2" SILVER MCCUE 92"	N017
15	2	52265623716	BUMPER 2" SILVER MCCUE 23 7/16"	N017
16	2	BMP3039	CORNER 2 SILVER MCCUE	
17	4	O112	MACH SCR #10-32 X 1/2" RDHD	N006
18	4	52091001	10-32 WING NUT	N006
19	1	35373401BH	MC CABINET 96X28 HDWR PK	N000
20	2	53632601	COVER, MOUSEHOLE 2 3/4 X 4	PTC
21	1	53629501	ADJUSTABLE SHELF - 17	PTC
22	1	353734IS	ASSEMBLY INSTRUCTIONS	N000
23	1	QR-1001	QR CODE LABEL	N000
24	1	53750600	SS COUNTERTOP 8FT SERVICE CAB LH	N024
25	1	53587001	KIT END DIVIDER PANEL	PTC

THIS PRINT, INCLUDING ALL INFORMATION SET FORTH THEREON, IS THE PROPERTY OF DARLING STORE FIXTURES. IT IS LOANED IN CONFIDENCE; SUBJECT TO RETURN IMMEDIATELY UPON REQUEST AND WITH THE UNDERSTANDING THAT NO COPIES OF THIS PRINT OR OF THE INFORMATION CONTAINED THEREON SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF DARLING STORE FIXTURES. ALL RIGHTS TO DESIGN AND INVENTION ARE RESERVED.

FPI DATE	NO.	BY	CHK	ENG	REVISION	DATE
	1	CZI		CZI	RELEASE FOR PRODUCTION	05/26/20
	2	RP		RP	CHANGED BUMPERS TO SILVER AND UPDATED FINISH.100673385 WAS 100661409.	10/25/21
	3	RP		RP	REVISED COUNTERTOP HOLES, REPLACED MONITOR MOUNT.	07/13/22
00/00/00	4	RP		RP	ADDED 53587001.	08/17/23

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
FRACTIONS: ±.100
DECIMALS: .XXX ±.005
ANGLES: ±1°

CUSTOMER: 9139C
NEXT ASSEMBLY: REFERENCE NUMBER: 35374101
FINISH: PTC
CUST PART NO: 100673385

ALL INSIDE RADII TO BE 1/32" ±.1/32" UNLESS OTHERWISE SPECIFIED

L.A. DARLING COMPANY

DRAWING NAME: **SRVC CNTR W/EDGE FILLER-LH W/SS TOP**


SHEET: B
REV: 4
DATE: 08/17/23
CADD FILE: 35415400_04

**LAD Part #
35415500C070**

**SERVICE COUNTER
W/ WEDGE
FILLER - RH**

**WMT SAP#
100673386**

SHIP WITH CHECK STAND AND
END DIVIDER PANEL UNINSTALLED



ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	FINISH
1	1	35351048	BASE CABINET ASSY - 48	PTC
2	3	53545001	ADJUSTABLE SHELF - 24	PTC
3	8	R344	RIVET .125RD .125 GRIP POP	N006
4	8	53423901	SNAP BUTTON 3/8"	N006
5	2	53408712	ACCESS PANEL 12"	PTC
6	1	GRM0026	2 BLACK ROUND GROMMET WIRE MGMT	N017
7	1	53788500	CHECK STAND	PTC
8	1	53628901	PLACARD, DO NOT OBSTRUCT	N000
9	1	35373401BH	MC CABINET 96X28 HDWR PK	N000
10	2	53632601	COVER, MOUSEHOLE 2 3/4 X 4	PTC
11	1	53629501	ADJUSTABLE SHELF - 17	PTC
12	4	O112	MACH SCR #10-32 X 1/2" RDHD	N006
13	4	52091001	10-32 WING NUT	N006
14	1	53627501	TRAY, SHELF LOWER	PTC
15	1	53629202	CABINET, 48 IN BASE ASSY RH	PTC
16	4	52265801	END CAP 2" SILVER MCCUE	N017
17	2	52265794716	BASE 2" BLACK MCCUE 94 7/16"	N017
18	2	BMP3039	CORNER 2 SILVER MCCUE	
19	2	52265623716	BUMPER 2" SILVER MCCUE 23 7/16"	N017
20	2	5226572534	BASE 2" BLACK MCCUE 25 3/4"	N017
21	2	52265692	BUMPER 2" SILVER MCCUE 92"	N017
22	1	353734IS	ASSEMBLY INSTRUCTIONS	N000
23	1	QR-1001	QR CODE LABEL	N000
24	1	53750700	SS COUNTERTOP 8FT SERVICE CAB RH	N024
25	1	53587001	KIT END DIVIDER PANEL	PTC

ALL INSIDE RADII TO BE 1/32" ± UNLESS OTHERWISE SPECIFIED

THIS PRINT, INCLUDING ALL INFORMATION SET FORTH THEREON, IS THE PROPERTY OF DARLING STEEL FIXTURES. IT IS LOANED IN CONFIDENCE SUBJECT TO RETURN IMMEDIATELY UPON REQUEST AND WITH THE UNDERSTANDING THAT NO COPIES OF THIS PRINT OR OF THE INFORMATION CONTAINED THEREON SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF DARLING STEEL FIXTURES. ALL RIGHTS TO DESIGN AND INVENTION ARE RESERVED.				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CUSTOMER 9139C	
1	CZT	CZT	RELEASE FOR PRODUCTION	05/26/20	FUNCTIONS: 1:00	NEXT ASSEMBLY REFERENCE NUMBER	35374201
2	RP	RP	CHANGED BUMPERS TO SILVER AND UPDATED FINISH 100673386 WAS 100661490.	10/25/21	DECIMALS: 2:1 3:005	FINISH	PTC
3	RP	RP	REVISED COUNTERTOP HOLES, REPLACED MONITOR MOUNT.	07/13/22	ANGLE: 2:1	CURT PART NO	100673386
00/00/00	4	RP	ADDED 53587001.	08/17/23		SIZE	B
FPI DATE	NO.	BY	CHK	ENG	REVISION	DATE	35415500

L.A. DARLING COMPANY

SRVC CNTR W/EDGE FILLER-RH W/SS TOP




REV: 4
CADD FILE: 35415500_04

**LAD Part #
35422400C070**


**4FT SERV DESK
LOWBOY MC
CAB- RH**

**WMT SAP#
100658818**

SHIP WITH END DIVIDER PANEL UNINSTALLED



ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	FINISH
1	1	35351048	BASE CABINET ASSY - 48	PTC
2	1	35422401	SS COUNTERTOP MC LB 4FT RH	N004
3	1	53544901	DOOR FOR CASHWRAP	PTC
4	1	53627501	TRAY, SHELF LOWER	PTC
5	4	52091001	10-32 WING NUT	N006
6	4	O112	MACH SCR #10-32 X 1/2" RDHD	N006
7	1	53545001	ADJUSTABLE SHELF - 24	PTC
8	6	53423901	SNAP BUTTON 3/8"	N006
9	10	R344	RIVET .125RD .125 GRIP POP	N006
10	2	53548001	ADJUSTABLE SHELF FD - 24	PTC
11	2	53408712	ACCESS PANEL 12"	PTC
12	2	52525201	WASHER F/GLASS DOOR KIT	N017
13	2	5226564414	BUMPER 2" SILVER MCCUE 44 1/4"	N017
14	2	5226574714	BASE 2" BLACK MCCUE 47 1/4"	N017
15	4	52265801	END CAP 2" SILVER MCCUE	N017
16	2	53557201	CHANNEL F/MAGNETIC CATCH	PTC
17	2	53454801	MAGNETIC LATCH	N017
18	1	GRM0026	2 BLACK ROUND GROMMET WIRE MGMT	N017
19	4	53455201	RIVET .125 RD .187 GRIP POP	N006
20	1	53587001	KIT END DIVIDER PANEL	PTC
21	1	35385300	BUMPER KIT 24"	N099



ALL INSIDE RADII TO BE 1/32" UNLESS OTHERWISE SPECIFIED

NOTE:
REMOVE KNOCKOUTS BETWEEN CABINETS BEFORE ATTACHING TOGETHER.

FPI DATE	NO.	BY	CHK	ENG	REVISION	DATE
	1	RP		RP	RELEASE FOR PRODUCTION	11/09/20
00/00/00	2	RP		RP	ADDED 53587001 & 35385300.	08/18/23

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS: ±1/32 DECIMALS: .XXX ±.005 ANGLES: ±1°	CUSTOMER: 9139 NEXT ASSEMBLY: 35415000 REFERENCE NUMBER: FINISH: PTC CUST PART #10: 100659818
--	---

L.A. DARLING COMPANY

DRAWING NAME: **4FT SERV DESK LOWBOY MC CAB SS RH**

REV: 2


REV: 2

REV: 2


LAD Part #
35415300C070

MC CKO MOD CAB
FIN SERVICE 4FT POS

WMT SAP#
100658418




LAYOUT EXAMPLE - REFER TO FLOOR
PLANS FOR YOUR LAYOUT.



ADA CLEAR SPACE REQUIRED
(36" L X 27" D)
DO NOT INSTALL ANY FIXED ITEMS
IN THIS AREA
(E.g. Mounting Brackets, Divider Panels, etc.)
DO NOT OBSTRUCT THIS AREA

53587001C070 - KIT END
DIVIDER PANEL (WMT SAP#
100658920)

35385300N099 - Bumper Kit
Silver (WMT SAP# 100644125)





ADA CLEAR SPACE REQUIRED
(36" L X 27" D)
DO NOT INSTALL ANY FIXED ITEMS
IN THIS AREA
(E.g. Mounting Brackets, Divider Panels, etc.)
DO NOT OBSTRUCT THIS AREA

35415300C070 - MC CKO
MOD CAB FIN SERVICE (WMT
SAP# 100658418)

35415200C070 - MC Service
Counter 96x28 (WMT SAP#
100667606)


8' CABINET with WEDGE

EXAMPLE CONFIGURATION



DIVIDER PANEL INSTALLATION:
LOCATE PANEL AT END OF CABINET AND SECURE
PANEL ON OUTSIDE INTO METAL END OF CABINET
USING (8) SMS TEK SCREWS PROVIDED.

LAD Part # 53587001C070
KIT END DIVIDER PANEL
WMT SAP# 100658920



53519402--- Hardware Kit Consist of: (5ea) #8-10 Course Thread Pan Head Particleboard screws
(8ea) TEK #8-18 x 1/2" Round Washer Head #2 Phillips

WARNING !

IMPORTANT SAFETY INSTRUCTIONS



YOUR PERSONAL SAFETY IS AT RISK !



While lifting or moving any heavy object for your safety always use the Team Lift Approach to minimize the risk of injury.

Cabinet Installation Instructions:

- Step #1 Attach divider panels to 4ft Fin. Service POS cabinets (shown on page 14).
- Step #2 Place 1st cabinet in location as specified from construction floor plans.
- Step #3 Using a level, level the cabinets side to side and total length using shims placed between floor and base of cabinet.
- Step #4 Remove any knockouts needed for wiring (shown on page 18).
- Step #5 From the floor plan, place the second cabinet in the location specified, and repeat Step #3&4 for this cabinet.
- Step #6 From inside end of 1 of these 2 cabinets, use a cordless drill & a #2 Phillips bit to secure the 2 cabinets together using self tapping screws provided in hardware pack. See detail at right.
- Step #7 Secure adjacent cabinets as required per floor plans repeating above steps.
- Step #8 Secure cabinets to floor using a ¼" bead of clear silicone where base of cabinets meets the floor. Allow minimum 24 hour period for silicone to fully cure securing cabinet to floor.




#8 X ½" SELF DRILLING SCREWS

SECURE CABINETS AT JOINTS
USING 10 - SELF DRILLING SCREWS
PROVIDED


ATTACHMENT OF BUMPER KITS TO END OF CABINETS.

(6EA) SMS TEK #10 X 1/2" PAN HEAD
(USED FOR ATTACHING TRACK)




(4) SMS TEK #10 X 3/4" PAN HEAD (USED
FOR ATTACHING END CAPS)


Step 1: Attach the Bumper Track to the cabinet using the pre-punched holes in the cabinet with the ; provided.



Step 2: Attach the Bumper End Caps to the cabinet using the pre-punched holes in the cabinet with the Two screws provided.



Step 3: Snap the bumper rail onto the track and continue to the second row of bumper on the cabinet.



NOTE:

SECURE MONITOR STAND USING (4) ¼-20 X 1-3/8" SCREWS, (4) ¼-20 LOCK NUTS, AND (8) ¼" FLAT WASHERS PROVIDED.


537885HW – SINGLE MONITOR HARDWARE KIT CONSIST OF:

#1 - 4EA RD HD MS ¼"-20 X 1 3/8"


#2 - 8EA ¼" FLAT WASHER


#3 - 4EA ¼"-20 LOCK NUT

#4 - 4EA RD HD MS M4×0.7mm×12mm




SINGLE MONITOR STAND







KNOCKOUT HOLE LOCATIONS



DEBIT CARD SCREW LOCATIONS



Mounting Screws for INGENICO brand card readers



Mounting Screws for VERIFONE & HYPERCOM brand card readers



T25 TORX Security Screw used for all card readers to lock card Reader to the bracket for safety and security of device. T25 TORX Security Screw is accessed from the back side of the card reader mounting bracket.

TOOL REQUIREMENTS:

- (1) Cordless or corded drill with a #2 Phillips bit to insert the Mounting Screws into the debit card mounting plate.
- (1) T25 TORX Security Bit to tighten debit card reader locking screw

*****NOTE***** Failure to use the correct mounting screws for the specified brand of card reader or utilizing the T25 TORX Security Screw may result in damage or theft of the device.