



Instructions for DSL Locking Case Adapter Install

Walmart Part No.

100708761

Walmart Description:

DSL LOCKING CASE ADAPTER 10PK



Scan the QR code or visit
www.ladarling.com/digital-sign-holder-security-case/
for the latest copy of the instruction sheets.

Customer Service 1-800-682-5730





Bracket Assembly

Step A:

Align the tabs on bracket A with the holes in bracket B.
Shown in Pic. A and Pic. B.

Step B:

Slide bracket A down into position, shown in Pic. C and Pic. D.



Showcase Prep

Pic 1. shows the case before install.

Make sure to open or move the doors to the middle of the case. See below in Pic 2.



Pic. 1



Pic. 2

Bracket Install

Step 1:

Position the bracket as shown in Pic. 3.

Step 2:

Slide the bracket under the case and on top of the deck starting with the right side of the bracket as shown in Pic. 4.



Step 4:

Slide the bracket into its final position as shown in Pic. 5 and Pic 6. The locking tabs need to be in position as shown in Pic. 7.



Step 5:

Bend and lift the locking tabs up using your hands, if possible, see Pic. 8. Use a screwdriver if necessary, see Pic. 9. All tabs need to be bent up 90 degrees ensuring the bracket is locked in place against the front of the case, see Pic. 10.



Step 6:

Once all tabs are formed into their final position, check the bracket to make sure it is securely in its install position.

Complete install of bracket can be seen in Pic. 11.

See next page for other installed examples.



Other Bracket Install Examples:

